

Product Data Sheet

Knauf Joint Filler Premium



Knauf Joint Filler Premium is a fast-setting gypsum compound for bedding tapes and beads by hand application. Up to a Q2 finish.

Areas of Application

For jointing of gypsum boards. For bedding joint tapes.

Compliance Standards

EN13963. Type 3B

Key Benefits

- Fast setting (120 minutes)
- Approximately 90 minute working time
- Smooth finish, easy to sand

Performance Data

Reaction to Fire (R2F)	Flexural Strength (F)	Dangerous Substances (DS)
A1	NPD	NPD

Technical information

Colour	Weight (kg)	Approximate Coverage	Material Number
White/grey	10	55m ² per 10kg bag*	622340
White/grey	20	110m ² per 20kg bag*	622342

*Based on filling application to tapered edge board

Sustainability

Substances of very high Concern (SVHC)

At the time of publication, under REACH UK and REACH EU regulations this product contains no SVHC. For more information please consult the Safety Data Sheet.

Storage and Handling

Store in a dry area, protected from frost, high temperature and exposure to direct sunlight.

Packaging

Paper sack with an inner plastic layer for protection.

Shelf Life/Service Life

9 months.

Disposal/Repair

Dispose of contents/container in accordance with licensed collectors sorting instructions.

Health & Safety

Impermeable protective gloves, safety glasses with side shields due to splashing, and a dust mask when sanding are recommended. For full information, please refer to the safety data sheet.


Application / Installation

Add the powder to 6.8L per 10kg bag of cold, clean water in a suitable clean mixing container. Mix to workable consistency. Mixed product is workable for approximately 90 minutes. Drying time approximately 120 minutes depending on conditions. Once the jointing is completed and dry, a coat of Knauf Wallboard Primer or Knauf Plasterboard Sealer should be applied before decoration.

Additional Documentation

[Declaration of Performance UKCA](#)

[Declaration of Performance CE](#)



Customer Service

UK Tel: 0800 521 050
Eire Tel: 01 4620739
Email: cservice@knauf.com

Technical Service

0800 521050 (option 2)
Live Webchat 09:00 -17:00
technical-uk@knauf.com

Website

www.knauf.co.uk
www.knauf.ie

Address (UK)

Knauf
Kemsley Fields Business Park
Sittingbourne
Kent ME9 8SR

Address (Ireland)

Knauf
87 Broomhill Road
Tallaght
Dublin 24
D24 WR85

KML100448

The information given in this publication is believed to be current and accurate as at the date of publication, but no warranty, express or implied is given. Updates will not be automatically issued.

© Copyright Knauf 2023

Creation Date: 02/11/2023
Revision Reference: 001
Revision Date: 02/11/2023